

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|------------------|---------|------------------|
| L1 | 5515 | 360/46,65-68.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/19 11:04 |
| L2 | 50742 | ((write near2 driver) or ((half H) near2 (bridge switch)) or H\$1switch H\$1bridge) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/19 11:05 |
| L3 | 180 | ((write near2 driver) or ((half H) near2 (bridge switch)) or H\$1switch H\$1bridge) and (current near2 mirror) and (buffer near2 (amplifier amp)) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/19 11:14 |
| L7 | 1787 | ((odd match\$3) near2 interconnect\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/19 11:06 |
| L8 | 12 | 1 and 3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/19 11:07 |
| L9 | 14 | 2 same 7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/19 11:07 |
| L10 | 12 | 1 and 2 and 7 | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/19 11:08 |
| L11 | 97 | ((write near2 driver) or ((half H) near2 (bridge switch)) or H\$1switch H\$1bridge) and (current near2 mirror) and ((first second plural\$3 multiple pair) near3 resist\$4) and (buffer near2 (amplifier amp)) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/19 11:09 |

EAST Search History

| | | | | | | |
|-----|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|----|-----|------------------|
| L13 | 65 | ((write near2 driver) or ((half H) near2 (bridge switch)) or H\$1switch H\$1bridge) and (current near2 mirror) and (buffer near2 (amplifier amp)) and (resist\$4 near3 value) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/19 11:11 |
| L18 | 6 | ((write near2 driver) or ((half H) near2 (bridge switch)) or H\$1switch H\$1bridge) and (current near2 mirror) and (buffer near2 (amplifier amp)) and (match\$3 near3 impedance) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/19 11:15 |
| L19 | 4 | ((writ\$3 record\$3) near2 driver) and (interconnect\$3 near3 odd near2 characteristic) and (current near2 mirror) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/19 11:16 |
| L20 | 4 | ((writ\$3 record\$3) near2 driver) and (odd near2 characteristic) and (current near2 mirror) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2007/12/19 11:16 |
| S38 | 6 | (("6794880") or ("5841603") or ("6275347") or ("5952851") or ("20050174668") or ("20030142432")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2007/12/18 18:46 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------|---------|------------------|
| L14 | 1 | (((((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (interconnect\$3) and (match\$3 near2 impedance) and (scal\$3 near2 factor) and (current near2 mirror))).CLM. | US-PGPUB | OR | ON | 2007/12/19 11:12 |
| L15 | 0 | (((((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge) and (odd near3 interconnect\$3) and ((resist\$4 current) near2 value) and (current near2 mirror) and (buffer near2 amplifier))).CLM. | US-PGPUB | OR | ON | 2007/12/19 11:13 |
| L17 | 0 | (((((writ\$3 record\$3) near2 driv\$3) or ((H half) near2 (switch bridge)) or H\$1bridge H\$1switch) and (odd near3 interconnect\$3) and ((first second plural\$3 multiple pair) near2 resist\$4) and (current near2 mirror) and (buffer near2 amplifier))).CLM. | US-PGPUB | OR | ON | 2007/12/19 11:14 |